



SAFETY DATA SHEET

*China Glaze Nail Lacquer (Base J)***SECTION 1. IDENTIFICATION***PRODUCT DESCRIPTION*

CHINA GLAZE NAIL LACQUER (BASE J)

ITEM NUMBER

See section 16 for reference numbers

PRODUCT TYPE

Finished Good

RECOMMENDED USE

Nail lacquer

USES ADVISED AGAINST

All other uses


MANUFACTURER

American International Industries
2220 Gaspar Ave
Los Angeles, CA 90040
Phone: (323) 728-2999

EMERGENCY PHONE

CHEM-TEL: 1-(800)-255-3924

SECTION 2. HAZARD IDENTIFICATION

<i>HAZARD CLASS</i>	<i>CATEGORY</i>	<i>PICTOGRAM</i>
Flammable Liquid	Class 2	
Signal word	Danger	
Hazard Statement	Highly Flammable Liquid and Vapor	
Hazard Codes	H225	
Precautionary Statements	P102 Keep out of reach of Children P210 Keep away from heat/sparks/open flames/hot surfaces – No Smoking. P233 Keep container tightly closed P 403 + P235 Store in a well ventilated place. Keep cool	
Other Hazards	Hazard Symbol: F, Xi	
Risk Phrases	R11 Highly Flammable	



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base J)

	R36 Irritating to eyes. R66 Repeated exposure may cause skin dryness or cracking R67 Vapors may cause drowsiness and dizziness
Safety Phrases	S16 Keep away from sources of ignition S26 In case of contact with eyes, rinse immediately with plenty of water and see a physician. S33 Take precautionary measures against static discharges

SECTION 3. COMPOSITION

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

COMPOSITION OF HAZARDOUS CHEMICALS		
INCI Name	CAS No.	% w/w
Butyl Acetate	123-86-4	20.00-44.00%
Ethyl Acetate	141-78-6	20.00-44.00%
Nitrocellulose	9004-70-0	10.00-20.00%
Isopropyl Alcohol	67-63-0	5.00-10.00%
Propyl Acetate	108-21-4	5.00-15.00%
Camphor	76-22-2	0.20-5.00%

SECTION 4. FIRST AID MEASURES

GENERAL ADVISE

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

ROUTES OF ENTRY

EYE CONTACT	Immediately flush eyes with water for 15 minutes. Get medical attention, if irritation persists.
SKIN CONTACT	Wash skin with water, if irritation persists contact a physician.
INHALATION	Remove to fresh air; if breathing continues to be difficult get medical attention immediately.
INGESTION	Get medical attention immediately. If swallowed, do NOT induce vomiting. Contact a physician or a poison control center immediately. Never give anything by mouth to an unconscious person.

MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED

Non known

**SAFETY DATA SHEET***China Glaze Nail Lacquer (Base J)**NOTES TO PHYSICIAN*

Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES*FLAMMABILITY*

Flammable

FLASH POINT

-4.44°C (24°F)

EXTINGUISHING MEDIA

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

SPECIAL HAZARDS

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

SECTION 6. ACCIDENTAL RELEASE MEASURES*PERSONAL PRECAUTIONS*

Household: Absorb with inert material and place in a appropriate waste disposal
Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

ADVISE FOR EMERGENCY RESPONDERS

Use personal protective equipment.

ENVIRONMENTAL PRECAUTIONS

Household: Do not place spilled product in any drain or water system that can go into the environment.
Industrial: Should not be released into the environment.

METHODS OF SPILL CONTAINMENT AND CLEAN-UP



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base J)

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

SECTION 7. HANDLING AND STORAGE

WORK & HYGIENE PRACTICES

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

STORAGE & HANDLING

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care. Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

SECTION 8. EXPOSURE CONTROL/ PERSONAL PROTECTION

EXPOSURE GUIDELINES

Household: Exposure guidelines are not relevant when the product is used as directed in a household setting.

Industrial: When working with large quantities of the product, make sure an eye wash station, sink or washbasin is available in the event there is exposure to eyes.

VENTILATION

When working with large quantities of the product, provide adequate ventilation.

RESPIRATORY PROTECTION

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

EYE PROTECTION

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

HAND PROTECTION



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base J)

If it is anticipated that prolonged and repeated skin contact will occur during the use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary refer to U.S. OSHA 1910.138, the appropriate standards for Canada or the E.C. member states.

BODY PROTECTION

No special body protection is required for this product under typical use and handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Viscous liquid
Color	Match to Standard
Odor	Sweet ester odor
pH	Not applicable
Viscosity	Not applicable
Melting Point/Freezing Point	Not available
Boiling Point	171°F – 640°F
Evaporation Rate	Not available
Upper/Lower Flammability Limits	LEL: 1.7% UEL: 12.0%
Vapor Pressure	Not available
Vapor Density	Not available
VOC Content	Coating V.O.C. 1.44 lb/gl
Solubility	Moderate
Specific Gravity	7.746 lb/gl

SECTION 10. STABILITY AND REACTIVITY

STABILITY

Product is stable under ambient conditions when stored properly.

HAZARDOUS DECOMPOSITION

If exposed to extremely high temperatures, the products of decomposition may include irritating vapors and carbon oxide gases (e.g. CO₂, CO).

HAZARDOUS POLYMERIZATION

No data available

CONDITIONS TO AVOID

Do not store over 120°F

INCOMPATIBLE SUBSTANCES

Acids, Alkalis and Peroxides



SAFETY DATA SHEET

*China Glaze Nail Lacquer (Base J)***SECTION 11. TOXICOLOGICAL INFORMATION***TOXICITY DATA*

This product does not contain known human carcinogens.

ACUTE TOXICITY

Principle Routes of Exposure	Absorbed through skin; ingestion.
Inhalation	May cause respiratory tract irritation with coughing and shortness of breath. This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions.
Skin Contact	This product is not expected to cause any skin irritation upon direct single or repeated and prolonged contact.
Ingestion	Ingestion is relatively non-toxic unless aspiration occurs.
Eye Contact	May cause mild (minimal) eye irritation.

CHRONIC TOXICITY

Corrosivity	No information available
Sensitization	Non sensitizing
Neurological Effects	No information available
Reproductive Toxicity	None Known
Mutagenic Effects	None Known
Developmental Toxicity	None Known
Teratogenicity	None Known
Carcinogenicity	None Known

SECTION 12. ECOLOGICAL INFORMATION*ACUTE TOXICITY*

No information available

PERSISTENCE AND DEGRADABILITY

No information available

BIOACCUMULATIVE POTENTIAL

No information available

BIOACCUMULATIVE POTENTIAL

No information available

MOBILITY

No information Available

OTHER ADVERSE EFFECTS



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base J)

No information available

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Waste disposal must be in accordance with appropriate federal, state, and local regulations

SPECIAL CONSIDERATIONS

None

SECTION 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name: Paint
Hazard Class: 3, Flammable Liquid
UN ID: UN1263
Packaging Group: II

IATA

Proper Shipping Name: Paint
Hazard Class: 3, Flammable Liquid
UN ID: UN1263
Packaging Group: II

IMDG/IMO

Proper Shipping Name: Paint
Hazard Class: 3, Flammable Liquid
UN ID: UN1263
Packaging Group: II

SECTION 15. REGULATORY INFORMATION

SARA 313

None

SARA 311/312 HAZARD CATEGORIES

There are no specific Threshold Planning Quantities for this product.

CERCLA

None

TSCA INVENTORY STATUS



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base J)

The components of this product are listed on the TSCA Inventory as appropriate

OTHER FEDERAL REQUIREMENTS

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

WHMIS (Canada)

WHMIS Classification:

STATE REGULATORY INFORMATION

Not available

EUROPEAN UNION REQUIREMENTS 67/548/EEC

See section 2 of this document.

SECTION 16. OTHER INFORMATION

DISCLAIMER

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Reference Numbers and Item Description

Item Number	Formula	Shade Description
28843	30-0878	CG LAC # EMERALD SPARKLE
70234	30-1044	CG LAC #144 RAIN STORM
70235	30-1107	CG LAC #093 THATAWAY
70238	30-1045	CG LAC #169 DON'T TOUCH MY TIARA
70240	30-1046	CG LAC #173 ST. MARTINI
70266	30-1154	CG LAC #237 PURE TORTURE
70276	30-1133	CG LAC #545 WHITE OUT
70281	30-1132	CG LAC #550 AQUA BABY
70290, 83293	30-1127	CG LAC #1008 PURPLE PANIC
70291	30-1126	CG LAC #1006 PINK VOLTAGE
70293, 87-2324	30-1039	CG LAC #1003 SHOCKING PINK
70302	30-1162	CG LAC #223 SEXY SILHOUETTE
70304	30-1163	CG LAC #094 NAKED
70308	30-1164	CG LAC #CASHMERE CREME



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base J)

70309	30-1165	CG LAC #039 SCARLET
70316	30-1166	CG LAC #220 FLIRTY FEMININITY
70323	30-1106	CG LAC #072 GOLDEN MERINGUE
70324	30-1108	CG LAC #137 RAINBOW
70326	30-1169	CG LAC #178 LIGHT MY TIKI
70328	30-1171	CG LAC #027 BING CHERRY
70337	30-1172	CG LAC #017 HAWAIIAN PUNCH
70338	30-1001	CG LAC #174 JAMAICAN OUT
70345, 82804	30-1015	CG LAC #1007 TURNED UP TURQUOISE
70357	30-1159	CG LAC #069 ITALIAN RED
70427	30-1138	CG LAC #253 AN AFFAIR TO REMEMBER
70527	30-1109	CG LAC #156 TEMPTATION CARNATION
70529	30-1156	CG LAC #024 AZTEC ORANGE
70537	30-5037	CG LAC #172 ROYAL TEASE
70542	30-1158	CG LAC #181 CARIBBEAN TEMPTATION
70576	30-1101	CG LAC #544 LIQUID LEATHER
70576, 82177	30-1123	CG LAC #544 LIQUID LEATHER
70577	30-1118	CG LAC #182 RUBY PUMPS
70619	30-1143	CG LAC #560 FIJI FLING
70620	30-1144	CG LAC #561 PASSION IN THE PACIFIC
70621	30-1145	CG LAC #562 BARE IF YOU DARE
70622	30-1146	CG LAC #563 BEAUTY & THE BEACH
70624	30-1148	CG LAC #565 TANTALIZE ME
70625	30-1149	CG LAC #566 HOT LOVA LOVE
70640	30-1047	CG LAC #1009 IN THE LIME LIGHT
70641, 87-2323	30-1048	CG LAC #1005 ORANGE KNOCKOUT
70671	30-1187	CG LAC #616 INNER BEAUTY
70697	30-1105	CG LAC #624 AFTERGLOW
70779	30-1180	CG LAC #600 CHAT ROOM RENDEZVOUS
70892	30-1174	CG LAC #592 DRAPED IN VELVET
70899	30-1179	CG LAC# 599 ONE MORE MERLOT
72026	30-1117	CG LAC #179 LIMBO BIMBO
72033	30-1129	CG LAC #553 SEXY IN THE CITY
72034	30-1131	CG LAC #554 PAINT IN THE TOWN RED
72036	30-1136	CG LAC #556 SEDUCE ME
72037	30-1139	CG LAC #557 UP ALL NIGHT
77034, 87-81566	30-7704	CG LAC #634 FROSTBITE
80840	30-8840	CG LAC #1010 BLUE SPARROW
80841	30-8841	CG LAC #1011 FLYING DRAGON
80842	30-8842	CG LAC #1012 ROSE AMONG THORNS
80843	30-8814	CG LAC #1013 SACRED HEART
80844	30-8844	CG LAC #1014 JAPANESE KOI
80845	30-8845	CG LAC #1015 CELTIC SUN



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: 4

SAFETY DATA SHEET

Date: 5-13-2015

Page 10 of 10

China Glaze Nail Lacquer (Base J)

80884	30-8018	CG LAC #666 RODEO FANATIC
80895	30-0895	CG LAC #683 SECRET PERI-WINKLE
80901	30-8881	CG LAC #720 PAPER CHASING
80908	30-8888	CG LAC #727 SNEAKER HEAD