# **SAFETY DATA SHEET**

Quantum TT Texture on Tint Acid Perm Exclusively for 30 to 40 Volume Color-Treated Hair (PURPLE) - Waving Lotion

### Section 1. Identification

Product Name	: Quantum TT Texture on Tint Acid Perm Exclusively for 30 to 40 Volume Color-Treated Hair (PURPLE) - Waving Lotion
Other means of identification	: Not available.
Recommended use	: Hair Care Product
<b>Restrictions on use</b>	: Use only as directed on the product label.
Manufacturer	: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
Validation date	: 5/27/2015.
In case of emergency	: (800) 584-8038 [24 Hours]
<u>Telephone number</u>	: (203) 656-7859 [8:30 a.m 5:00 p.m.]
Transportation Emergency	: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
Product type	: Liquid.

### Section 2. Hazards identification

#### **Emergency overview**

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

OSHA/HCS status	<ul> <li>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.</li> <li>Not classified.</li> </ul>	
substance or mixture	. Not classified.	
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 96.5%	
GHS label elements		
Signal word	: No signal word.	
Hazard statements	: No known significant effects or critical hazards.	
Precautionary statements		
General	<ul> <li>Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.</li> </ul>	
Prevention	: Not applicable.	
Response	: Not applicable.	
Storage	: Not applicable.	
Disposal	: Not applicable.	
Hazards not otherwise classified	: None known.	

### Section 3. Composition/information on ingredients

Substance/mixture

```
: Mixture
```

#### United States

Name	%	CAS number
ammonium chloride	1.00	12125-02-9
glycerol	1.00	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention if you feel unwell.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.
Skin contact	: Wash contaminated skin with soap and water.
Ingestion	: Get medical attention immediately.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: Use suitable protective equipment (section 8). Avoid exposure.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Hazardous thermal decomposition products       : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds         Special protective actions for fire-fighters       : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.         Special protective equipment for fire-fighters       : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.         5197A	-	_		
media       Unsuitable extinguishing media       : None known.         Specific hazards arising from the chemical       : In a fire or if heated, a pressure increase will occur and the container may burst.         Hazardous thermal decomposition products       : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds         Special protective actions for fire-fighters       : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.         Special protective equipment for fire-fighters       : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 5197A	Extinguishing media			
media         Specific hazards arising from the chemical       : In a fire or if heated, a pressure increase will occur and the container may burst.         Hazardous thermal decomposition products       : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds         Special protective actions for fire-fighters       : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.         Special protective equipment for fire-fighters       : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	• •	: Use an extinguishing agent suitable for the surrounding fire.		
from the chemical       Hazardous thermal         Hazardous thermal       : Decomposition products may include the following materials:         decomposition products       : arbon dioxide         carbon monoxide       nitrogen oxides         sulfur oxides       halogenated compounds         Special protective actions       : Promptly isolate the scene by removing all persons from the vicinity of the incident if         for fire-fighters       : Promptly isolate the scene by removing all persons from the vicinity of the incident if         there is a fire. No action shall be taken involving any personal risk or without suitable       training.         Special protective       : Fire-fighters should wear appropriate protective equipment and self-contained breathing         apparatus (SCBA) with a full face-piece operated in positive pressure mode.       5197A	• •	: None known.		
decomposition products       carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds         Special protective actions for fire-fighters       : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.         Special protective equipment for fire-fighters       : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.         5197A	Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.		
for fire-fighters       there is a fire. No action shall be taken involving any personal risk or without suitable training.         Special protective equipment for fire-fighters       Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.         5197A		carbon dioxide carbon monoxide nitrogen oxides sulfur oxides		
equipment for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode. 5197A	Special protective actions for fire-fighters	there is a fire. No action shall be taken involving any personal risk or without suitable		
Date of issue/Date of revision       : 5/27/2015.       Date of previous issue       : 5/15/2015.       Version       : 2       2/10		5197A		
	Date of issue/Date of revision	: 5/27/2015. Date of previous issue : 5/15/2015. Version : 2 2/10		

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	<ul> <li>No action shall be taken involving any personal risk or without suitable training.</li> <li>Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</li> </ul>	
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for co	ntainment and cleaning up	
Small spill	: Stop leak if without risk. Dilute with water and mop up if water-soluble.	
Large spill	: Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

### Section 7. Handling and storage

#### Precautions for safe handling

i recautions for sale nanuling		
Protective measures	Put on appropriate personal protective equipment (see Section 8).	
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material i handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional inform on hygiene measures.	
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected direct sunlight in a dry, cool and well-ventilated area, away from incompatible m (see Section 10) and food and drink.	

### Section 8. Exposure controls/personal protection

#### **United States**

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name			Exposure limi	ts	
ammonium chloride			ACGIH TLV (U	nited States, 4/2014	·).
			TWA: 10 mg/r	m³ 8 hours. Form: Fu	me
				m <sup>3</sup> 15 minutes. Form	
			•	nited States, 10/201	
				n <sup>3</sup> 10 hours. Form: F	
				m <sup>3</sup> 15 minutes. Form	
				39 (United States, 3/	′ <b>1989)</b> .
			TWA: 10 mg/r		
			STEL: 20 mg/	m <sup>3</sup> 15 minutes.	
glycerol			OSHA PEL 198	39 (United States, 3/	<b>'1989)</b> .
			TWA: 5 mg/m	<sup>3</sup> 8 hours. Form: Res	pirable
			fraction		
				n <sup>3</sup> 8 hours. Form: To	
			•	nited States, 2/2013)	
			TWA: 5 mg/m	<sup>3</sup> 8 hours. Form: Res	pirable
		5197A			
Date of issue/Date of revision	: 5/27/2015.	Date of previous issue	: 5/15/2015.	Version : 2	3/10

### Section 8. Exposure controls/personal protection

	fraction TWA: 15 mg/m³ 8 hours. Form: Total dust
--	---

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls		Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection meas	<u>ires</u>
Hygiene measures	:
Hygiene measures	: When using do not eat, drink or smoke.
Eye/face protection	: Safety glasses.
Skin protection	
Hand protection	: Wear suitable gloves.
Body protection	: Wear suitable protective clothing.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Consult local authorities for acceptable exposure limits.

### Section 9. Physical and chemical properties

### **Appearance**

Physical state	: Liquid. [Viscous liquid.]
Color	: Off-white.
Odor	: Characteristic.Fragrant.
рН	: 9.6 to 10.2
Boiling point	: >100°C (>212°F)
Flash point	: Closed cup: Not applicable.
Relative density	: 1.01 to 1.1

### Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.

### Section 10. Stability and reactivity

: No specific data. **Conditions to avoid** 

**Incompatible materials** : No specific data.

**Hazardous decomposition** : Under normal conditions of storage and use, hazardous decomposition products should products not be produced.

### Section 11. Toxicological information

#### **United States**

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ammonium chloride glycerol	LD50 Oral LD50 Oral		1650 mg/kg 12600 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
ammonium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

**Reproductive toxicity** Not available.

#### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

#### Aspiration hazard

Not available.

#### Information on the likely : Not available.

routes of exposure

#### Potential acute health effects

5197A

5/10

### Section 11. Toxicological information

Eye contact	: No known significant effects or critical hazards.			
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.			
Skin contact	No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Symptoms related to the phy	vsical, chemical and toxicological characteristics			
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Delayed and immediate effect	cts and also chronic effects from short and long term exposure			
<u>Short term exposure</u>				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
<u>Long term exposure</u>				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health eff	<u>ects</u>			
Not available.				
General	: No known significant effects or critical hazards.			
Carcinogenicity	: No known significant effects or critical hazards.			
Mutagenicity	: No known significant effects or critical hazards.			
Teratogenicity	: No known significant effects or critical hazards.			
<b>Developmental effects</b>	: No known significant effects or critical hazards.			
Fertility effects	: No known significant effects or critical hazards.			
Numerical measures of toxic	<u>:ity</u>			
Acute toxicity estimates				
Route	ATE value			
Oral	5693 mg/kg			

## Section 12. Ecological information

#### **United States**

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
ammonium chloride	Acute EC50 0.07 mg/l Marine water	Algae - Hormosira banksii - Gamete	72 hours
	Acute LC50 20 μg/l Fresh water	Crustaceans - Macrobrachium rosenbergii - Post-larvae	48 hours
	Acute LC50 390 µg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 80 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 0.6 mg/l Marine water	Algae - Entomoneis punctulata - Exponential growth phase	72 hours
	Chronic NOEC 330 µg/l Fresh water	Crustaceans - Crangonyx sp	21 days
	5197A	I	

6/10

Date of issue/Date of revision : 5/27/2015.	Date of previous issue	: 5/15/2015.	Version : 2
---	------------------------	--------------	-------------

### Section 12. Ecological information

	Chronic NOEC 19.66 mg/l Fresh water Chronic NOEC 0.006 mg/l Fresh water	Juvenile (Fledgling, Hatchling, Weanling) Daphnia - Daphnia magna Fish - Ictalurus punctatus - Fry	21 days 30 days
--	--	---	--------------------

#### Persistence and degradability

Not available.

**Bioaccumulative potential** 

Product/ingredient name	LogPow	BCF	Potential
ammonium chloride	-3.2	-	low
glycerol	-1.76		low

#### Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

### Section 13. Disposal considerations

```
Disposal methods
```

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

### Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG\* : Packing group

### Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>TSCA 8(a) CDR Exempt/Partial exemption: Not determined</li> <li>United States inventory (TSCA 8b): Not determined.</li> <li>Clean Water Act (CWA) 311: ammonium chloride; ammonia, anhydrous</li> </ul>
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Clean Air Act (CAA) 112 regulated toxic substances: ammonia, anhydrous : Not listed
	5197A

7/10

### Section 15. Regulatory information

Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed

#### SARA 302/304

#### Composition/information on ingredients

No products were found.

SARA 304 RQ	: Not applicable.
-------------	-------------------

#### SARA 311/312

Classification : Not applicable.

#### **Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
ammonium chloride glycerol		No. No.		No. No.	Yes. Yes.	No. No.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	ammonium chloride	12125-02-9	1.00
Supplier notification	ammonium chloride	12125-02-9	1.00

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts	<ul> <li>The following components are listed: AMMONIUM CHLORIDE; GLYCERINE MIST; AMMONIA</li> </ul>
New York	: The following components are listed: Ammonium chloride; Ammonia
New Jersey	<ul> <li>The following components are listed: AMMONIUM CHLORIDE; GLYCERIN; 1,2, 3-PROPANETRIOL; AMMONIA; PROPYLENE GLYCOL; 1,2-PROPANEDIOL</li> </ul>
Pennsylvania	<ul> <li>The following components are listed: AMMONIUM CHLORIDE ((NH4)CL); 1,2, 3-PROPANETRIOL; AMMONIA; 1,2-PROPANEDIOL</li> </ul>

#### California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer. Not available.

International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

5197A

### Section 15. Regulatory information

5	5			
Stockholm Convention on	Persistent Organic Pollutants			
Not listed.				
Rotterdam Convention on I	Prior Inform Consent (PIC)			
Not listed.				
UNECE Aarhus Protocol or	UNECE Aarhus Protocol on POPs and Heavy Metals			
Not listed.				
<u>Canada</u>				
WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).			
Canadian lists				
Canadian NPRI	: The following components are listed: Ammonia (total); Ammonia (total)			
CEPA Toxic substances	: The following components are listed: Ammonia dissolved in water			
Canada inventory	: Not determined.			
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.				


#### **Mexico**

Classification



### Section 16. Other information

#### Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** 



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

		5197A			
Date of issue/Date of revision	: 5/27/2015.	Date of previous issue	: 5/15/2015.	Version : 2	9/10

### Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **History**

Date of printing	: 5/27/2015.
Date of issue/Date of revision	: 5/27/2015.
Date of previous issue	: 5/15/2015.
Version	: 2
References	: Not available.

Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.