# **SAFETY DATA SHEET**

Quantum Insite Low-Thio Perm for Delicate Hair - Neutralizer



# Section 1. Identification

: Quantum Insite Low-Thio Perm for Delicate Hair - Neutralizer
: Not available.
: Hair Care Product
: Use only as directed on the product label.
: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
: 5/27/2015.
: (800) 584-8038 [24 Hours]
: (203) 656-7859 [8:30 a.m 5:00 p.m.]
: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
: Liquid.

# Section 2. Hazards identification

#### **Emergency overview**

NOT EXPECTED TO PROD INSTRUCTIONS FOR USE	UCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED ARE FOLLOWED.
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 99.3%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

4445B

1/9

# Section 3. Composition/information on ingredients

#### Substance/mixture

: Mixture

#### **United States**

Name	%	CAS number
hydrogen peroxide	2.18	7722-84-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

<u>aid measures</u>	<u>ecessary</u>	cription of
---------------------	-----------------	-------------

Eye contact	: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention if you feel unwell.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.
Skin contact	: Wash the contaminated skin gently and thoroughly with running water and non-abrasive soap.
Ingestion	: Call physician immediately.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.
Protection of first-aiders	: Use suitable protective equipment (section 8).

#### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

-	
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

		4445B			
Date of issue/Date of revision	: 5/27/2015.	Date of previous issue	: 5/27/2015.	Version : 4.01	2/9

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.			
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".			
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and materials for containment and cleaning up				
Small spill	: Stop leak if without risk. Dilute with water and mop up if water-soluble.			
Large spill	: Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Note: see Section 1 for emergency contact information and Section 13 for waste disposal.			

# Section 7. Handling and storage

#### Precautions for safe handling

r rooudiono for ouro nununi		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	-	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.

# Section 8. Exposure controls/personal protection

#### **United States**

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
hydrogen peroxide	ACGIH TLV (United States, 4/2014). TWA: 1 ppm 8 hours. TWA: 1.4 mg/m <sup>3</sup> 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 1 ppm 8 hours. TWA: 1.4 mg/m <sup>3</sup> 8 hours. NIOSH REL (United States, 10/2013). TWA: 1 ppm 10 hours. TWA: 1.4 mg/m <sup>3</sup> 10 hours. OSHA PEL (United States, 2/2013). TWA: 1 ppm 8 hours. TWA: 1.4 mg/m <sup>3</sup> 8 hours.

4445B

3/9

# Section 8. Exposure controls/personal protection

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measu	ires
Hygiene measures	: · · · · · · · · · · · · · · · · · · ·
Hygiene measures	: When using do not eat, drink or smoke.
Eye/face protection	: None.
Skin protection	
Hand protection	: None.
Body protection	: Wear suitable protective clothing.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Consult local authorities for acceptable exposure limits.

### Section 9. Physical and chemical properties

: 5/27/2015.

<b>Appearance</b>	
Physical state	: Liquid. [Viscous liquid.]
Color	: Off-white.
Odor	: Fragrant.
рН	: 3 to 4
Boiling point	: >100°C (>212°F)
Flash point	: Closed cup: Not applicable.
Relative density	: 1.004 to 1.01

# Section 10. Stability and reactivity

Date of issue/Date of revision

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
	4445B

: 5/27/2015.

# Section 10. Stability and reactivity

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### **United States**

Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
hydrogen peroxide	Eyes - Severe irritant	Rabbit	-	1 milligrams	-

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
hydrogen peroxide	-	3	-

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure) Not available.

**Aspiration hazard** 

Not available.

#### Information on the likely : Not available. routes of exposure

Potential acute health e	offacts
Eye contact	: No known significant effects or critical hazards.
Inhalation	: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the	he physical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.

4445B

Date of issue/Date of revision :

# Section 11. Toxicological information

		-
Skin contact	1	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effect	ts	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health eff	ect	<u>s</u>
Not available.		
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
<b>Developmental effects</b>	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxic	ity	
Acute toxicity estimates		
Not available.		

# Section 12. Ecological information

#### **United States**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
hydrogen peroxide	Acute EC50 1.2 mg/l Marine water	Algae - Dunaliella tertiolecta - Exponential growth phase	72 hours
	Acute EC50 5.38 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 2320 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 93 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 989.7 ppm Fresh water	Fish - Oncorhynchus tshawytscha - Egg	43 days

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential				
hydrogen peroxide	-1.36	-	low				
Mobility in soil         Soil/water partition       : Not available.							
coefficient (Koc)	: Not available.						
Other adverse effects : No known significant effects or critical hazards.							

4445B

: 5/27/2015.

Date of issue/Date of revision	: 5/27/2015.	Date of previous issue
--------------------------------	--------------	------------------------

### Section 13. Disposal considerations

#### **Disposal methods**

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG\* : Packing group

# Section 15. Regulatory information

U.S. Federal regulations	:	<b>TSCA 8(a) PAIR</b> : decamethyltetrasiloxane; α-hexylcinnamaldehyde; 2-(4-tert-butylbenzyl) propionaldehyde
		TSCA 8(a) CDR Exempt/Partial exemption: Not determined
		United States inventory (TSCA 8b): Not determined.
		Clean Water Act (CWA) 311: Phosphoric acid, solution
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
SARA 302/304		
Composition/information	on	ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
hydrogen peroxide	2.18	Yes.	1000	106.1	1000	106.1

4445B

### Section 15. Regulatory information

#### SARA 304 RQ

: 45861 lbs / 20820.9 kg [3437.7 gal / 13013.1 L]

#### SARA 311/312 Classification

: Not applicable.

#### Composition/information on ingredients

Name	%	hazard	Sudden release of pressure		(acute)	Delayed (chronic) health hazard
hydrogen peroxide	2.18	No.	No.	No.	Yes.	No.

#### State regulations Massachusetts

: The following components are listed: HYDROGEN PEROXIDE

- New York
- : The following components are listed: Hydrogen peroxide
- New Jersey Pennsylvania
- The following components are listed: HYDROGEN PEROXIDENone of the components are listed.
- California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer. Not available.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.


#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### Canada


WHMIS (Canada)	: Not controlled under WHMIS (Canada).
Canadian lists	
Canadian NPRI	: None of the components are listed.
<b>CEPA Toxic substances</b>	: None of the components are listed.
Canada inventory	: Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.



# Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 5/27/2015.
Date of issue/Date of revision	: 5/27/2015.
Date of previous issue	: 5/27/2015.
Version	: 4.01
References	: Not available.

Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

4445B