



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: 4

SAFETY DATA SHEET

Date: 5-13-2015

Page 1 of 9

China Glaze Nail Lacquer (Base G)

SECTION 1. IDENTIFICATION

PRODUCT DESCRIPTION

CHINA GLAZE NAIL LACQUER (BASE G)

ITEM NUMBER

See section 16 for reference numbers

PRODUCT TYPE

Finished Good

RECOMMENDED USE

Nail lacquer

USES ADVISED AGAINST

All other uses


MANUFACTURER

American International Industries
2220 Gaspar Ave
Los Angeles, CA 90040
Phone: (323) 728-2999

EMERGENCY PHONE

CHEM-TEL: 1-(800)-255-3924

SECTION 2. HAZARD IDENTIFICATION

<i>HAZARD CLASS</i>	<i>CATEGORY</i>	<i>PICTOGRAM</i>
Flammable Liquid	Class 2	
Signal word	Danger	
Hazard Statement	Highly Flammable Liquid and Vapor	
Hazard Codes	H225	
Precautionary Statements	P102 Keep out of reach of Children P210 Keep away from heat/sparks/open flames/hot surfaces – No Smoking. P233 Keep container tightly closed P 403 + P235 Store in a well ventilated place. Keep cool	
Other Hazards	Hazard Symbol: F, Xi	
Risk Phrases	R11 Highly Flammable	



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base G)

	R36 Irritating to eyes. R66 Repeated exposure may cause skin dryness or cracking R67 Vapors may cause drowsiness and dizziness
Safety Phrases	S16 Keep away from sources of ignition S26 In case of contact with eyes, rinse immediately with plenty of water and see a physician. S33 Take precautionary measures against static discharges

SECTION 3. COMPOSITION

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

COMPOSITION OF HAZARDOUS CHEMICALS		
INCI Name	CAS No.	% w/w
Butyl Acetate	123-86-4	25.00-30.00%
Ethyl Acetate	141-78-6	30.00-40.00%
Nitrocellulose	9004-70-0	5.00-15.00%
Isopropyl Alcohol	67-63-0	1.00-10.00%
Camphor	76-22-2	0.20-1.00%

SECTION 4. FIRST AID MEASURES

GENERAL ADVISE

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

ROUTES OF ENTRY

EYE CONTACT	Immediately flush eyes with water for 15 minutes. Get medical attention, if irritation persists.
SKIN CONTACT	Wash skin with water, if irritation persists contact a physician.
INHALATION	Remove to fresh air; if breathing continues to be difficult get medical attention immediately.
INGESTION	Get medical attention immediately. If swallowed, do NOT induce vomiting. Contact a physician or a poison control center immediately. Never give anything by mouth to an unconscious person.

MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED

Non known

**SAFETY DATA SHEET***China Glaze Nail Lacquer (Base G)**NOTES TO PHYSICIAN*

Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES*FLAMMABILITY*

Flammable

FLASH POINT

-4.44°C (24°F)

EXTINGUISHING MEDIA

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

SPECIAL HAZARDS

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

SECTION 6. ACCIDENTAL RELEASE MEASURES*PERSONAL PRECAUTIONS*

Household: Absorb with inert material and place in a appropriate waste disposal
Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

ADVISE FOR EMERGENCY RESPONDERS

Use personal protective equipment.

ENVIRONMENTAL PRECAUTIONS

Household: Do not place spilled product in any drain or water system that can go into the environment.
Industrial: Should not be released into the environment.

METHODS OF SPILL CONTAINMENT AND CLEAN-UP



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base G)

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

SECTION 7. HANDLING AND STORAGE

WORK & HYGIENE PRACTICES

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

STORAGE & HANDLING

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care. Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

SECTION 8. EXPOSURE CONTROL/ PERSONAL PROTECTION

EXPOSURE GUIDELINES

Household: Exposure guidelines are not relevant when the product is used as directed in a household setting.

Industrial: When working with large quantities of the product, make sure an eye wash station, sink or washbasin is available in the event there is exposure to eyes.

VENTILATION

When working with large quantities of the product, provide adequate ventilation.

RESPIRATORY PROTECTION

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

EYE PROTECTION

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

HAND PROTECTION

**SAFETY DATA SHEET***China Glaze Nail Lacquer (Base G)*

If it is anticipated that prolonged and repeated skin contact will occur during the use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary refer to U.S. OSHA 1910.138, the appropriate standards for Canada or the E.C. member states.

BODY PROTECTION

No special body protection is required for this product under typical use and handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Viscous liquid
Color	Match to Standard
Odor	Sweet ester odor
pH	Not applicable
Viscosity	Not applicable
Melting Point/Freezing Point	Not available
Boiling Point	171°F – 640°F
Evaporation Rate	Not available
Upper/Lower Flammability Limits	LEL: 1.7% UEL: 12.0%
Vapor Pressure	Not available
Vapor Density	Not available
VOC Content	Coating V.O.C. 1.44 lb/gl
Solubility	Moderate
Auto-Ignition Temperature	Not available

SECTION 10. STABILITY AND REACTIVITY**STABILITY**

Product is stable under ambient conditions when stored properly.

HAZARDOUS DECOMPOSITION

If exposed to extremely high temperatures, the products of decomposition may include irritating vapors and carbon oxide gases (e.g. CO₂, CO).

HAZARDOUS POLYMERIZATION

No data available

CONDITIONS TO AVOID

Do not store over 120°F

INCOMPATIBLE SUBSTANCES

Acids, Alkalis and Peroxides



SAFETY DATA SHEET

*China Glaze Nail Lacquer (Base G)***SECTION 11. TOXICOLOGICAL INFORMATION***TOXICITY DATA*

This product does not contain known human carcinogens.

ACUTE TOXICITY

Principle Routes of Exposure	Absorbed through skin; ingestion.
Inhalation	May cause respiratory tract irritation with coughing and shortness of breath. This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions.
Skin Contact	This product is not expected to cause any skin irritation upon direct single or repeated and prolonged contact.
Ingestion	Ingestion is relatively non-toxic unless aspiration occurs.
Eye Contact	May cause mild (minimal) eye irritation.

CHRONIC TOXICITY

Corrosivity	No information available
Sensitization	Non sensitizing
Neurological Effects	No information available
Reproductive Toxicity	None Known
Mutagenic Effects	None Known
Developmental Toxicity	None Known
Teratogenicity	None Known
Carcinogenicity	None Known

SECTION 12. ECOLOGICAL INFORMATION*ACUTE TOXICITY*

No information available

PERSISTENCE AND DEGRADABILITY

No information available

BIOACCUMULATIVE POTENTIAL

No information available

BIOACCUMULATIVE POTENTIAL

No information available

MOBILITY

No information Available

OTHER ADVERSE EFFECTS



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base G)

No information available

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Waste disposal must be in accordance with appropriate federal, state, and local regulations

SPECIAL CONSIDERATIONS

None

SECTION 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name: Paint
Hazard Class: 3, Flammable Liquid
UN ID: UN1263
Packaging Group: II

IATA

Proper Shipping Name: Paint
Hazard Class: 3, Flammable Liquid
UN ID: UN1263
Packaging Group: II

IMDG/IMO

Proper Shipping Name: Paint
Hazard Class: 3, Flammable Liquid
UN ID: UN1263
Packaging Group: II

SECTION 15. REGULATORY INFORMATION

SARA 313

None

SARA 311/312 HAZARD CATEGORIES

There are no specific Threshold Planning Quantities for this product.

CERCLA

None

TSCA INVENTORY STATUS



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base G)

The components of this product are listed on the TSCA Inventory as appropriate

OTHER FEDERAL REQUIREMENTS

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

*WHMIS (Canada)***WHMIS Classification:***STATE REGULATORY INFORMATION*

Not available

EUROPEAN UNION REQUIREMENTS 67/548/EEC

See section 2 of this document.

SECTION 16. OTHER INFORMATION*DISCLAIMER*

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Reference Numbers and Item Description

Item Number	Formula	Shade Description
80945, 87-2325	30-8833	CG LAC #872 POOL PARTY
80946, 87-2322	30-8834	CG LAC #873 FLIP FLOP FANTASY
80947	30-8835	CG LAC #874 SUN WORSHIPER
80948	30-8836	CG LAC #875 YELLOW POLKA DOT
80949	30-8837	CG LAC #876 KIWI COOL-ADA
80950	30-8838	CG LAC #877 TOWEL BOY TOY
81329	30-9343	CG LAC #1222 HEAT INDEX
81328	30-9342	CG LAC #1221 HIGHLIGHT OF MY SUMMER
81327	30-9341	CG LAC #1220 YOU DRIVE ME COCONUTS
81326	30-9340	CG LAC #1219 ARE YOU JELLY
81325	30-9339	CG LAC #1218 ISLE SEE YOU LATER
81324	30-9338	CG LAC #1217 KEEPIN IT TEAL
81323	30-9337	CG LAC #1216 TOO YACHT TO HANDLE
81322	30-9336	CG LAC #1215 THAT'S SHORE BRIGHT



SAFETY DATA SHEET

China Glaze Nail Lacquer (Base G)

81321	30-9335	CG LAC #1214 BOTTOMS UP
81319	30-9333	CG LAC #1212 SHELL-O
81320	30-9334	CG LAC #1213 NEON & ON & ON
81318	30-9332	CG LAC #1211 SUN OF A PEACH
81792	30-2902	CG LAC #1310 SHORE ENUFF
81756	30-2893	CG LAC #1290 THISTLE DO NICELY
81759	30-2894	CG LAC #1293 SPRING IN MY STEP
81762	30-2895	CG LAC #1296 IN A LILLY BIT
81763	30-2896	CG LAC #1297 LOTUS BEGIN
81765	30-2897	CG LAC #1299 AT VASE VALUE
81766	30-2898	CG LAC #1300 GRASS IS LIME GREENER
81767	30-2901	CG LAC #1301 METRO POLLEN-TIN
81511	30-1766	CG LAC #1283 GOULISH GLOW